Online Appendix

For "Does anyone suffer from teenage motherhood? Mental health effects of teen motherhood in Great Britain are small and homogeneous." by O'Flaherty, M., Kalucza, S., & Bon, J.

Table A1. Overview of model covariates, with topic domains and age at survey.

Domain	Age	Measure
Delinquency Educational attainment and	10	Fights with other children
aspirations	5	Estimated reading age
	5	Attends school
	5	In need of special education treatment
	16	Feels like school is largely a waste of time
	16	Has left school
Family history/stability	0	Birth order
	0	Duration of marriage prior to birth
	0	Mother's marital status at time of birth
	0	CM mother age at first birth
	5	Both bio mother/father present
	10	parents divorced/separated
	10	Number of addresses
	16	Total number of siblings
Health behaviour	16	Is vaccinated
	16	CM age at menarche
	16	Ever been on the pill?
	16	CM contraceptive use
	16	CM have had sex
Family housing situation	5	Tenure type
	5	Interviewer description home - luxuriousness
	5	Number of household appliances present
	5	Crowding measure - number od household members per room
	5	Interviewer Social grouping of neighbourhood
Mental health in childhood	5	Frequent temper tantrums (once a week)
	5	Any sleep problems
	10	Appears miserable, depressed
	10	Diagnosed mental handicap or behavioural issue (medical)
	10	Appears worried
	16	Teen changes mood quickly / drastically
	16	Teenager displays outbursts of temper
Orientation to the world	10	Feeling shy or foolish when talking to teacher
	10	Academic self concept
Parent attitudes/beliefs	5	Attitude to child independence
Peers and peer characteristics	10	Peers smokes
	10	Relationship to peers in school
	10	Not much liked by other children (mother)

Physical health	0	Gestational age in weeks
•	0	Foetal distress during delivery (heart rate > 160 / < 120)
	0	Birthweight
	5	Medical Condition: Hearing or Vision problem
	5	Ever admitted to hospital
	5	Breastfeeding duration
	10	Medical condition that affects daily life or school
	10	Any diagnosed physical condition
	10	Obesity
	10	Any disabilities
Parent relationship with cohort		•
member	5	Any parents reads to cohort member
	10	Mothers interest in school (teacher answer)
	10	How much time do you spend talking to your parents every day?
	10	Parents expects too high standards/over concerned (teacher answer)
	10	Parents dismissive of child's potential
	10	Age at which cohort members mother think cohort member will leave school
		Are you and your husband completely happy with how your teenager is
	16	turning out?
	16	Weekly Activities shared with parents, n
	16	Parents have visited teens school since sept 85
	16	Would like teenager to stay in full time education after this school year, and to A levels etc.
	10	Would like teenager to continue some form of fulltime education beyond
	16	age 18.
Parental health and health behaviour (parent of cohort		
member)	0	Mothers height
,	0	Mother's smoking history - if smoked during this pregnancy
	5	Parental Rutter Score
	5	Mother current smoking
	16	Parent total Malaise score
Parental and grandparental		
class/education (parent/grandparent of cohort		
member)	0	Mothers age at completion of full-time education
,	0	Father age at completion of full-time education
	0	Father's Social Class 1970
	0	Mothers's Social Class 1970
	5	Mother is housewife
	16	Combined parental income per week
	16	Seriously troubled by financial hardship the last 12 months

Table A2. Descriptive statistics of model covariates, over age of first birth.

	Age at first birth < 20 (N=589)	Age at first birth 20 or older (N=2585)	Overall (N=3174)
Fights with other children, age 10			
Mean (SD)	20.0 (23.0)	15.5 (17.7)	16.3 (18.8)
Median [Min, Max]	13.0 [0, 100]	12.0 [0, 100]	12.0 [0, 100]
Missing	99 (16.8%)	355 (13.7%)	454 (14.3%)
Estimated reading, age 5			
Mean (SD)	4.67 (1.01)	4.98 (0.958)	4.92 (0.976)
Median [Min, Max]	4.79 [2.05, 6.80]	5.11 [2.05, 6.91]	5.11 [2.05, 6.91]
Missing	177 (30.1%)	854 (33.0%)	1031 (32.5%)
Attends school, age 5			
no	407 (69.1%)	1796 (69.5%)	2203 (69.4%)
yes	62 (10.5%)	312 (12.1%)	374 (11.8%)
Missing	120 (20.4%)	477 (18.5%)	597 (18.8%)
In need of special education treatment, age 5			
no	424 (72.0%)	1855 (71.8%)	2279 (71.8%)
yes	7 (1.2%)	27 (1.0%)	34 (1.1%)
Missing	158 (26.8%)	703 (27.2%)	861 (27.1%)
Feels like school is largely a waste of time, age 16			
no	120 (20.4%)	872 (33.7%)	992 (31.3%)
yes	114 (19.4%)	422 (16.3%)	536 (16.9%)
Missing	355 (60.3%)	1291 (49.9%)	1646 (51.9%)
Has left school, age 16			
no	232 (39.4%)	1337 (51.7%)	1569 (49.4%)
yes	14 (2.4%)	91 (3.5%)	105 (3.3%)
Missing	343 (58.2%)	1157 (44.8%)	1500 (47.3%)
Birthorder, age 0			
Mean (SD)	2.31 (1.47)	2.12 (1.33)	2.16 (1.36)
Median [Min, Max]	2.00 [1.00, 10.0]	2.00 [1.00, 11.0]	2.00 [1.00, 11.0]
Missing	49 (8.3%)	175 (6.8%)	224 (7.1%)
Duration of marriage prior to birth, age 0			
Mean (SD)	4.88 (4.23)	5.19 (4.16)	5.14 (4.17)
Median [Min, Max]	4.00 [0, 22.0]	4.00 [0, 23.0]	4.00 [0, 23.0]
Missing	103 (17.5%)	328 (12.7%)	431 (13.6%)

	Age at first birth < 20 (N=589)	Age at first birth 20 or older (N=2585)	Overall (N=3174)
Mother's marital status at time of birth, age 0			
other	59 (10.0%)	175 (6.8%)	234 (7.4%)
married	481 (81.7%)	2235 (86.5%)	2716 (85.6%)
Missing	49 (8.3%)	175 (6.8%)	224 (7.1%)
Mother age at first birth, age 0			
Mean (SD)	20.6 (3.52)	22.0 (3.76)	21.7 (3.75)
Median [Min, Max]	20.0 [13.0, 38.0]	22.0 [12.0, 42.0]	21.0 [12.0, 42.0]
Missing	53 (9.0%)	182 (7.0%)	235 (7.4%)
Both bio mother/father present, age 5			
no	73 (12.4%)	207 (8.0%)	280 (8.8%)
yes	400 (67.9%)	1921 (74.3%)	2321 (73.1%)
Missing	116 (19.7%)	457 (17.7%)	573 (18.1%)
Parents divorced/separated, age 10			
no	351 (59.6%)	1848 (71.5%)	2199 (69.3%)
yes	99 (16.8%)	252 (9.7%)	351 (11.1%)
Missing	139 (23.6%)	485 (18.8%)	624 (19.7%)
Number of adresses, age 10			
Mean (SD)	2.40 (1.20)	2.25 (1.11)	2.28 (1.13)
Median [Min, Max]	2.00 [1.00, 5.00]	2.00 [1.00, 5.00]	2.00 [1.00, 5.00]
Missing	102 (17.3%)	390 (15.1%)	492 (15.5%)
Total number of siblings, age 16			
Mean (SD)	1.80 (1.85)	1.87 (1.75)	1.86 (1.76)
Median [Min, Max]	1.00 [0, 5.00]	2.00 [0, 5.00]	2.00 [0, 5.00]
Missing	177 (30.1%)	521 (20.2%)	698 (22.0%)
Is vaccinated, age 16			
no	230 (39.0%)	1026 (39.7%)	1256 (39.6%)
yes	182 (30.9%)	1038 (40.2%)	1220 (38.4%)
Missing	177 (30.1%)	521 (20.2%)	698 (22.0%)
Age at menarche, age 16			
under 12	62 (10.5%)	257 (9.9%)	319 (10.1%)
12-13	129 (21.9%)	753 (29.1%)	882 (27.8%)
over 13	38 (6.5%)	243 (9.4%)	281 (8.9%)
not started	2 (0.3%)	11 (0.4%)	13 (0.4%)

	Age at first birth < 20 (N=589)	Age at first birth 20 or older (N=2585)	Overall (N=3174)
Missing	358 (60.8%)	1321 (51.1%)	1679 (52.9%)
Ever been on the pill?, age 16			
no	162 (27.5%)	1016 (39.3%)	1178 (37.1%)
yes	68 (11.5%)	253 (9.8%)	321 (10.1%)
Missing	359 (61.0%)	1316 (50.9%)	1675 (52.8%)
Contraceptive use, age 16			
contraception	139 (23.6%)	634 (24.5%)	773 (24.4%)
no sex	33 (5.6%)	320 (12.4%)	353 (11.1%)
none	62 (10.5%)	334 (12.9%)	396 (12.5%)
Missing	355 (60.3%)	1297 (50.2%)	1652 (52.0%)
Have had sex, age 16			
never	160 (27.2%)	1028 (39.8%)	1188 (37.4%)
once	11 (1.9%)	80 (3.1%)	91 (2.9%)
several	63 (10.7%)	180 (7.0%)	243 (7.7%)
Missing	355 (60.3%)	1297 (50.2%)	1652 (52.0%)
Tenure type, age 5			
owned	199 (33.8%)	1212 (46.9%)	1411 (44.5%)
rented	252 (42.8%)	806 (31.2%)	1058 (33.3%)
other	21 (3.6%)	101 (3.9%)	122 (3.8%)
Missing	117 (19.9%)	466 (18.0%)	583 (18.4%)
Interviewer description home - luxiouriousness, age 5			
low	41 (7.0%)	63 (2.4%)	104 (3.3%)
adequate	219 (37.2%)	753 (29.1%)	972 (30.6%)
high	203 (34.5%)	1270 (49.1%)	1473 (46.4%)
Missing	126 (21.4%)	499 (19.3%)	625 (19.7%)
Number of household appliances present, age 5			
Mean (SD)	4.62 (1.41)	5.07 (1.23)	4.99 (1.27)
Median [Min, Max]	5.00 [0, 7.00]	5.00 [0, 7.00]	5.00 [0, 7.00]
Missing	116 (19.7%)	457 (17.7%)	573 (18.1%)
Crowding measure - number resident household members / number rooms, age 5			
Mean (SD)	0.990 (0.347)	0.882 (0.297)	0.902 (0.310)
Median [Min, Max]	1.00 [0.429, 3.00]	0.800 [0.160, 3.60]	0.800 [0.160, 3.60]
Missing	124 (21.1%)	486 (18.8%)	610 (19.2%)

	Age at first birth < 20 (N=589)	Age at first birth 20 or older (N=2585)	Overall (N=3174)
Interviewer Social grouping of neighbourhood, age 5			
Mean (SD)	2.33 (0.891)	2.56 (0.883)	2.52 (0.889)
Median [Min, Max]	2.00 [1.00, 4.00]	2.00 [1.00, 4.00]	2.00 [1.00, 4.00]
Missing	134 (22.8%)	544 (21.0%)	678 (21.4%)
Freq temper tantrums (once a week), age 5			
no	388 (65.9%)	1794 (69.4%)	2182 (68.7%)
yes	62 (10.5%)	199 (7.7%)	261 (8.2%)
Missing	139 (23.6%)	592 (22.9%)	731 (23.0%)
Any sleep problems, age 5			
no	343 (58.2%)	1570 (60.7%)	1913 (60.3%)
yes	127 (21.6%)	544 (21.0%)	671 (21.1%)
Missing	119 (20.2%)	471 (18.2%)	590 (18.6%)
Appears miserable, depressed, age 10			
Mean (SD)	33.5 (31.1)	32.6 (30.1)	32.8 (30.2)
Median [Min, Max]	18.5 [0, 100]	19.0 [0, 100]	19.0 [0, 100]
Missing	101 (17.1%)	353 (13.7%)	454 (14.3%)
Diagnosed mental handicap or behavioural issue (medical), age 10			
no	523 (88.8%)	2357 (91.2%)	2880 (90.7%)
yes	18 (3.1%)	46 (1.8%)	64 (2.0%)
Missing	48 (8.1%)	182 (7.0%)	230 (7.2%)
Appears worried, age 10			
Mean (SD)	22.0 (23.8)	19.7 (21.2)	20.1 (21.7)
Median [Min, Max]	14.0 [0, 100]	14.0 [0, 99.0]	14.0 [0, 100]
Missing	97 (16.5%)	351 (13.6%)	448 (14.1%)
Teen changes mood quickly / drastically, age 16			
Mean (SD)	1.85 (0.929)	1.58 (0.823)	1.63 (0.847)
Median [Min, Max]	2.00 [1.00, 4.00]	1.00 [1.00, 4.00]	1.00 [1.00, 4.00]
Missing	268 (45.5%)	938 (36.3%)	1206 (38.0%)
Teenager displays outbursts of temper, age 16			
Mean (SD)	1.67 (0.901)	1.45 (0.739)	1.48 (0.772)
Median [Min, Max]	1.00 [1.00, 4.00]	1.00 [1.00, 4.00]	1.00 [1.00, 4.00]
Missing	269 (45.7%)	942 (36.4%)	1211 (38.2%)
Feeling shy or foolish when talking to teacher, age 10			

	Age at first birth < 20 (N=589)	Age at first birth 20 or older (N=2585)	Overall (N=3174)
no	232 (39.4%)	1025 (39.7%)	1257 (39.6%)
yes	240 (40.7%)	1040 (40.2%)	1280 (40.3%)
Missing	117 (19.9%)	520 (20.1%)	637 (20.1%)
Academic self concept, age 10			
Mean (SD)	12.4 (1.95)	12.6 (1.82)	12.6 (1.85)
Median [Min, Max]	12.0 [7.00, 18.0]	12.8 [7.00, 20.0]	12.8 [7.00, 20.0]
Missing	114 (19.4%)	502 (19.4%)	616 (19.4%)
Attitude to child independence, age 5			
Mean (SD)	1.21 (0.787)	1.34 (0.768)	1.32 (0.772)
Median [Min, Max]	1.18 [0.0274, 3.41]	1.28 [0.00218, 3.41]	1.27 [0.00218, 3.41]
Missing	223 (37.9%)	785 (30.4%)	1008 (31.8%)
Peers smokes, age 10			
most or some	83 (14.1%)	237 (9.2%)	320 (10.1%)
none	392 (66.6%)	1843 (71.3%)	2235 (70.4%)
Missing	114 (19.4%)	505 (19.5%)	619 (19.5%)
Relationship to peers in school, age 10			
Mean (SD)	9.00 (1.66)	9.14 (1.68)	9.11 (1.68)
Median [Min, Max]	9.00 [5.00, 13.0]	9.00 [5.00, 14.0]	9.00 [5.00, 14.0]
Missing	111 (18.8%)	498 (19.3%)	609 (19.2%)
Not much liked by other children (mother), age 10			
Mean (SD)	17.8 (21.6)	14.8 (17.0)	15.3 (18.0)
Median [Min, Max]	12.0 [0, 100]	12.0 [0, 99.0]	12.0 [0, 100]
Missing	101 (17.1%)	358 (13.8%)	459 (14.5%)
Gestational age in weeks, age 0			
Mean (SD)	39.8 (1.84)	39.8 (1.69)	39.8 (1.72)
Median [Min, Max]	40.0 [31.0, 47.0]	40.0 [30.0, 47.0]	40.0 [30.0, 47.0]
Missing	167 (28.4%)	652 (25.2%)	819 (25.8%)
Fetal distress during delivery (heart rate $> 160 / < 120$), age 0			
no	515 (87.4%)	2316 (89.6%)	2831 (89.2%)
yes	0 (0%)	7 (0.3%)	7 (0.2%)
Missing	74 (12.6%)	262 (10.1%)	336 (10.6%)
Birthweight, age 0			
Mean (SD)	3220 (519)	3250 (503)	3240 (506)

	Age at first birth < 20 (N=589)	Age at first birth 20 or older (N=2585)	Overall (N=3174)
Median [Min, Max]	3200 [1360, 5450]	3260 [1020, 5390]	3260 [1020, 5450]
Missing	50 (8.5%)	176 (6.8%)	226 (7.1%)
Medical Condition: Hearing or Vision problem, age 5			
no	432 (73.3%)	1893 (73.2%)	2325 (73.3%)
yes	41 (7.0%)	235 (9.1%)	276 (8.7%)
Missing	116 (19.7%)	457 (17.7%)	573 (18.1%)
Ever admitted to hospital, age 5			
no	337 (57.2%)	1470 (56.9%)	1807 (56.9%)
yes	65 (11.0%)	272 (10.5%)	337 (10.6%)
Missing	187 (31.7%)	843 (32.6%)	1030 (32.5%)
Breastfeeding duration, age 5			
Mean (SD)	4.03 (1.55)	3.83 (1.58)	3.87 (1.58)
Median [Min, Max]	5.00 [1.00, 5.00]	5.00 [1.00, 5.00]	5.00 [1.00, 5.00]
Missing	122 (20.7%)	471 (18.2%)	593 (18.7%)
Medical condition that affects daily life or school, age 10			
no	412 (69.9%)	1992 (77.1%)	2404 (75.7%)
yes	85 (14.4%)	242 (9.4%)	327 (10.3%)
Missing	92 (15.6%)	351 (13.6%)	443 (14.0%)
Any diagnosed physical condition, age 10			
no	409 (69.4%)	1848 (71.5%)	2257 (71.1%)
yes	132 (22.4%)	555 (21.5%)	687 (21.6%)
Missing	48 (8.1%)	182 (7.0%)	230 (7.2%)
Obesity, age 10			
underweight	63 (10.7%)	334 (12.9%)	397 (12.5%)
normal	352 (59.8%)	1574 (60.9%)	1926 (60.7%)
obese	61 (10.4%)	273 (10.6%)	334 (10.5%)
Missing	113 (19.2%)	404 (15.6%)	517 (16.3%)
Any disabilities, age 10			
yes	141 (23.9%)	517 (20.0%)	658 (20.7%)
no	330 (56.0%)	1646 (63.7%)	1976 (62.3%)
Missing	118 (20.0%)	422 (16.3%)	540 (17.0%)
Parents reads to, age 5			
no	71 (12.1%)	175 (6.8%)	246 (7.8%)

	Age at first birth < 20 (N=589)	Age at first birth 20 or older (N=2585)	Overall (N=3174)
yes	387 (65.7%)	1905 (73.7%)	2292 (72.2%)
Missing	131 (22.2%)	505 (19.5%)	636 (20.0%)
Mothers interest in school (teacher), age 10			
Mean (SD)	2.33 (1.41)	1.95 (1.30)	2.02 (1.33)
Median [Min, Max]	2.00 [1.00, 5.00]	2.00 [1.00, 5.00]	2.00 [1.00, 5.00]
Missing	128 (21.7%)	547 (21.2%)	675 (21.3%)
How much time do you spend talking to your parents every day?, age 10			
not much	209 (35.5%)	715 (27.7%)	924 (29.1%)
a lot	264 (44.8%)	1351 (52.3%)	1615 (50.9%)
Missing	116 (19.7%)	519 (20.1%)	635 (20.0%)
Parents expects too high standards/over concerend (teacher), age 10			
no	453 (76.9%)	1921 (74.3%)	2374 (74.8%)
yes	26 (4.4%)	175 (6.8%)	201 (6.3%)
Missing	110 (18.7%)	489 (18.9%)	599 (18.9%)
Parents dissmisive of childs potential, age 10			
no	458 (77.8%)	2043 (79.0%)	2501 (78.8%)
yes	21 (3.6%)	53 (2.1%)	74 (2.3%)
Missing	110 (18.7%)	489 (18.9%)	599 (18.9%)
Age mother think CM will leave school, age 10			
16 years	250 (42.4%)	834 (32.3%)	1084 (34.2%)
17 years	71 (12.1%)	385 (14.9%)	456 (14.4%)
18 years	153 (26.0%)	890 (34.4%)	1043 (32.9%)
don't know	16 (2.7%)	93 (3.6%)	109 (3.4%)
Missing	99 (16.8%)	383 (14.8%)	482 (15.2%)
Are you and your husband completely happy with how your teenager is turning out?, age 16			
no	144 (24.4%)	494 (19.1%)	638 (20.1%)
yes	182 (30.9%)	1177 (45.5%)	1359 (42.8%)
Missing	263 (44.7%)	914 (35.4%)	1177 (37.1%)
Weekly Activities shared with parents, n, age 16			
Mean (SD)	1.57 (2.33)	1.74 (2.22)	1.71 (2.24)
Median [Min, Max]	0 [0, 13.0]	1.00 [0, 11.0]	1.00 [0, 13.0]
Missing	177 (30.1%)	521 (20.2%)	698 (22.0%)
Parents have visited teens school since sept 85, age 16			

	Age at first birth < 20 (N=589)	Age at first birth 20 or older (N=2585)	Overall (N=3174)
no	170 (28.9%)	726 (28.1%)	896 (28.2%)
yes	148 (25.1%)	899 (34.8%)	1047 (33.0%)
Missing	271 (46.0%)	960 (37.1%)	1231 (38.8%)
Would like teenager to stay in full time educationa after this school year, and to A levels etc., age 16			
no	225 (38.2%)	1116 (43.2%)	1341 (42.2%)
yes	102 (17.3%)	568 (22.0%)	670 (21.1%)
Missing	262 (44.5%)	901 (34.9%)	1163 (36.6%)
Would like teenager to continue som form of fulltime education beyond age 18, age 16			
no	274 (46.5%)	1372 (53.1%)	1646 (51.9%)
yes	53 (9.0%)	312 (12.1%)	365 (11.5%)
Missing	262 (44.5%)	901 (34.9%)	1163 (36.6%)
Mothers height, age 0			
Mean (SD)	160 (6.30)	161 (6.51)	161 (6.47)
Median [Min, Max]	160 [140, 182]	161 [138, 185]	161 [138, 185]
Missing	54 (9.2%)	203 (7.9%)	257 (8.1%)
Mother's smoking history - if smoked during this pregnancy, age 0			
no	265 (45.0%)	1402 (54.2%)	1667 (52.5%)
yes	275 (46.7%)	1008 (39.0%)	1283 (40.4%)
Missing	49 (8.3%)	175 (6.8%)	224 (7.1%)
Parental Rutter Score, age 5			
Mean (SD)	8.54 (4.88)	7.37 (4.38)	7.58 (4.49)
Median [Min, Max]	8.00 [0, 27.0]	7.00 [0, 26.0]	7.00 [0, 27.0]
Missing	140 (23.8%)	558 (21.6%)	698 (22.0%)
Mother current smoking, age 5			
no	213 (36.2%)	1197 (46.3%)	1410 (44.4%)
yes	247 (41.9%)	866 (33.5%)	1113 (35.1%)
Missing	129 (21.9%)	522 (20.2%)	651 (20.5%)
1986: (CM's parent) total Malaise score, age 16			
Mean (SD)	9.19 (5.98)	7.65 (5.26)	7.90 (5.41)
Median [Min, Max]	8.00 [0, 32.0]	6.00 [0, 35.0]	7.00 [0, 35.0]
Missing	280 (47.5%)	980 (37.9%)	1260 (39.7%)
Mother age completion of full-time education, age 0			
<15	45 (7.6%)	152 (5.9%)	197 (6.2%)

	Age at first birth < 20 (N=589)	Age at first birth 20 or older (N=2585)	Overall (N=3174)
15	352 (59.8%)	1440 (55.7%)	1792 (56.5%)
16	83 (14.1%)	404 (15.6%)	487 (15.3%)
17	25 (4.2%)	162 (6.3%)	187 (5.9%)
>17	27 (4.6%)	228 (8.8%)	255 (8.0%)
Missing	57 (9.7%)	199 (7.7%)	256 (8.1%)
ather age completion of full-time education, age 0			
<15	39 (6.6%)	174 (6.7%)	213 (6.7%)
15	351 (59.6%)	1342 (51.9%)	1693 (53.3%)
16	53 (9.0%)	333 (12.9%)	386 (12.2%)
17	21 (3.6%)	153 (5.9%)	174 (5.5%)
>17	36 (6.1%)	285 (11.0%)	321 (10.1%)
Missing	89 (15.1%)	298 (11.5%)	387 (12.2%)
ather's Social Class 1970, age 0			
one	15 (2.5%)	89 (3.4%)	104 (3.3%)
two	37 (6.3%)	281 (10.9%)	318 (10.0%)
three, non manual	35 (5.9%)	281 (10.9%)	316 (10.0%)
three, manual	231 (39.2%)	1096 (42.4%)	1327 (41.8%)
four	103 (17.5%)	334 (12.9%)	437 (13.8%)
five	41 (7.0%)	140 (5.4%)	181 (5.7%)
other	27 (4.6%)	69 (2.7%)	96 (3.0%)
not_supported	43 (7.3%)	109 (4.2%)	152 (4.8%)
Missing	57 (9.7%)	186 (7.2%)	243 (7.7%)
Aothers's Social Class 1970, age 0			
one or two	28 (4.8%)	211 (8.2%)	239 (7.5%)
three, non manual	133 (22.6%)	691 (26.7%)	824 (26.0%)
three, manual	20 (3.4%)	114 (4.4%)	134 (4.2%)
four	148 (25.1%)	467 (18.1%)	615 (19.4%)
five	5 (0.8%)	21 (0.8%)	26 (0.8%)
other	6 (1.0%)	14 (0.5%)	20 (0.6%)
home duties	156 (26.5%)	677 (26.2%)	833 (26.2%)
Missing	93 (15.8%)	390 (15.1%)	483 (15.2%)
Nother housewife, age 5			
no	193 (32.8%)	928 (35.9%)	1121 (35.3%)

	Age at first birth < 20 (N=589)	Age at first birth 20 or older (N=2585)	Overall (N=3174)
yes	276 (46.9%)	1190 (46.0%)	1466 (46.2%)
Missing	120 (20.4%)	467 (18.1%)	587 (18.5%)
Combined parental income per week, age 16			
<150	157 (26.7%)	488 (18.9%)	645 (20.3%)
150-249	64 (10.9%)	417 (16.1%)	481 (15.2%)
250-399	40 (6.8%)	290 (11.2%)	330 (10.4%)
400+	12 (2.0%)	111 (4.3%)	123 (3.9%)
Missing	316 (53.7%)	1279 (49.5%)	1595 (50.3%)
Seriously troubled by financial hardship the last 12 months, age 16			
no	251 (42.6%)	1474 (57.0%)	1725 (54.3%)
yes	85 (14.4%)	243 (9.4%)	328 (10.3%)
Missing	253 (43.0%)	868 (33.6%)	1121 (35.3%)